PODLAHY EBEN

Krono Original®
High Quality
Made by Kronospan



FLOORS
WALLS

WALLS AND FLOORS YOU CAN TRUST

Driven by innovation, built for comfort, delivered with style.

Wood processing has been our passion for over 125 years. It’s what Kronospan knows and does best. We understand that every space needs a solid foundation to thrive on. This is the essence of KronoOriginal - a brand dedicated to delivering high-quality floor and wall solutions for everyday comfort.

AT THE HEART OF OUR MISSION IS A COMMITMENT TO:

SUSTAINABLE
PRODUCTION PRACTICES

NEXT-GENERATION
WATER PROTECTION

TREND-SETTING
DESIGN INNOVATIONS

QUICK AND INTUITIVE
INSTALLATION SYSTEMS

WORLDWIDE AVAILABILITY
FOR FAST DELIVERY

WATER PROTECTION AT ITS BEST

Fast-paced life requires high-performance flooring. For us, water protection comes first.



Water is everywhere around us. But when it comes to your home, it shouldn't be a threat. That's why we have dedicated our efforts to developing and perfecting the protection systems of our flooring. Designed to handle life's little spills… and the big ones, too. Our water protection technologies are built for life. Because life happens, and your floor should be ready for it.

ROCKO
VINYL FLOORING

O.R.C.A.
WATERPROOF FLOORING

MO.RE!
WATER RESISTANT FLOORING

AUTHENTIC LOOK & FEEL OF NATURE

Our deeply rooted connection with nature inspires us to seek it everywhere around us. This never-ending quest is the driving force behind our creative process.



The beauty of nature reveals itself in the distinct authenticity of its imperfections. Our passion is to capture and recreate these unique visual qualities in each of our designs, bringing warmth and comfort into every home.

Thanks to our advanced digital printing and synchronized embossing surface technologies, we are able to achieve an impressive level of realism and create floors that not only look good, but also make you feel good.

As part of our Perfect Plank technology, we've introduced a new generation of floors with no design repetition for an added level of realism.

- Herringbone with up to 120 unique planks (10 m² | 108 ft²)
- Long planks with up to 16 unique panels (8 m² | 86 ft²)
- Wide planks with up to 32 unique planks (10 m² | 108 ft²)
- Standard planks with up to 40 unique digitally printed panels (10 m² | 108 ft²)

Look for these symbols to find the rest of our Authentic Embossed and Perfect Plank decors.



Authentic Embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Perfect Plank

An innovative technology of digitally printed planks with low pattern repeat.

Multi Room Concept

ONE DESIGN. MULTIPLE FLOORING FORMATS.

The Interior is not defined by four walls alone. It’s shaped by the quiet details that surround you every day. That’s why we design surfaces that don’t just meet functional needs, but also support the rhythm of your life. Our floors and panels are the calm backdrop to your story, connecting rooms, moods, and moments.

With our Multi Room Concept, your favourite decor becomes the foundation of your entire home. Explore the freedom of applying one design in multiple flooring formats, because no two rooms live the same life.

Choose the timeless charm of Herringbone for living areas, evoking classic elegance with a modern twist. Extend the story into open, spacious interiors with long-format planks that enhance volume and flow. For bathrooms, kitchens, or utility areas, make seamless transitions with standard planks in the same matching decor, ensuring performance and beauty without compromise.

K847 Blonde Montanara Oak, MR

K847 Blonde Montanara Oak, MR

K847 Blonde Montanara Oak, MR

Look for this symbol to find our Multi Room Concept decors.

Multi Room Concept


Design available in different plank formats for every space - long plank, herringbone or standard / wide plank

O.R.C.A.
WATERPROOF FLOORING
- Herringbone, Wide Plank and Long Plank

MO.RE!
WATER RESISTANT FLOORING
- Herringbone, Standard Plank and Long Plank

Multi Room Concept

EVERY SPACE BECOMES YOU



K843 Natural Darcy Oak, DY





Design freedom starts here - mix & match effortlessly Standard / Wide, Long and Herringbone planks for a unified and elegant spatial layout.

OUR **PERFECT**PADS

Built-in pad for comfort, sound insulation, and easy installation

PerfectPad® IXPE

Durable, quiet, waterproof


R244




K489



PerfectPad® ECO

Sustainable, eco-friendly




K453



PerfectPad® CORK

Natural warmth, sound-absorbing

Krono Original
High Quality
Made by Kronospan

KEY VALUES 02

FLOORING 18

PRODUCT & DECOR OVERVIEW 20

ROCKO VINYL FLOORING 24

LONG PLANK SILENT 30

HERRINGBONE SILENT 34

WIDE PLANK SILENT 38

STANDARD PLANK SILENT 44

O.R.C.A. WATERPROOF FLOORING 48

DURASTAR SILENT CORK 54

FLEX SILENT CORK 66

CLASSIC SILENT ECO/CORK 76

CLASSIC 82

COMFORT SILENT CORK 88

CLEVER SILENT ECO 92

MO.RE! WATER RESISTANT FLOORING 96

REAL WOOD 98

LONG PLANK 12 102

ATLANTIC 12 106

ATLANTIC 10 110

HERRINGBONE 8 116

LONG PLANK 8 122

ATLANTIC 8 126

ATLANTIC 7 138

LAMINATE FLOORING 144

SUPER NATURAL 8 146



WALL PANELS 152

ACOUSTIC PANLES 154

3D WALL PANELS 158

WALL & CEILING PANELS 162

ACCESSORIES 168

PACKAGING INFORMATION 174

FEATURES 176



ROCKO
VINYL FLOORING



O.R.C.A.
WATERPROOF FLOORING



MO.RE!
WATER RESISTANT FLOORING



LAMINATE
FLOORING



WALL
PANELS

FLOORS

K847 Blonde Montanara Oak, MR

Product Overview

	Collection	Water Protection (Coreboard)	Thickness/Pad	Durability	Warranty*3	Microscratch	Petproof	PerfectPad®	Perfect Plank	Multi Room Concept	Bevel	Authentic Embossed	SKU
ROCKO VINYL FLOORING	**LONG PLANK SILENT** **1850 x 295 mm** | 72.83" x 11.61"	5 drops · waterproof · ROCKO TECHNOLOGY	**6 mm** incl. 1 mm **Perfect**Pad® IXPE	Titanium Ultra*5	30 years	✓	✓	✓	✓		✓	✓	4
	HERRINGBONE SILENT **635 x 127 mm** | 25.00" x 5.00"	5 drops · waterproof · ROCKO TECHNOLOGY	**6 mm** incl. 1 mm **Perfect**Pad® IXPE	Titanium Ultra*5	30 years	✓	✓	✓	✓		Micro Bevel	✓	6
	WIDE PLANK SILENT **1210 x 234 mm** | 47.64" x 9.21"	5 drops · waterproof · ROCKO TECHNOLOGY	**6 mm** incl. 1 mm **Perfect**Pad® IXPE	Titanium Ultra*5	30 years	✓	✓	✓	✓*4		✓	✓*4	12
	STANDARD PLANK SILENT **1210 x 192 mm** | 47.64" x 7.56"	5 drops · waterproof · ROCKO TECHNOLOGY	**6 mm** incl. 1 mm **Perfect**Pad® IXPE	Titanium Ultra*5	30 years	✓	✓	✓	✓*4		✓	✓*4	8
O.R.C.A. WATERPROOF FLOORING	**DURASTAR SILENT CORK** **630 x 126 mm** | 24.80" x 4.96" **1288 x 245 mm** | 50.71" x 9.65" **2003 x 245 mm** | 78.86" x 9.65"	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**9 mm | 13 mm** incl. 1 mm **Perfect**Pad® Cork	AC6	Lifetime	✓	✓	✓	✓*4	✓*4	✓	✓	16
	FLEX SILENT CORK **638 x 322 mm** | 25.12" x 12.68" **1288 x 189 mm** | 50.71" x 7.44"	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**7 mm** incl. 1 mm **Perfect**Pad® Cork	Titanium Ultra*5	30 years	✓	✓	✓			✓		11
	CLASSIC SILENT ECO / CORK **1286 x 192 mm** | 50.63" x 7.56" ECO **1288 x 195 mm** | 50.71" x 7.68" ECO **1383 x 159 mm** | 54.45" x 6.26" Cork	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**8.5 mm | 9 mm** incl. 1 mm **Perfect**Pad® ECO incl. 1 mm **Perfect**Pad® Cork	AC5	30 years	✓	✓	✓	✓*4		✓ Pressed Bevel Soft Bevel	✓*4	12
	CLASSIC **638 x 330mm** | 25.12" x 12.99" **1288 x 195 mm** | 50.71" x 7.68"	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**8 mm**	AC5	30 years	✓	✓		✓*4		✓	✓*4	13
	COMFORT SILENT CORK **1288 x 195 mm** | 50.71" x 7.68"	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**8 mm** incl. 1 mm **Perfect**Pad® Cork	AC5	20 years	✓	✓	✓			✓		6
	CLEVER SILENT ECO **1288 x 195 mm** | 50.71" x 7.68"	5 drops · waterproof*1 · O.R.C.A. WATER DEFENSE TECHNOLOGY	**7 mm** incl. 1 mm **Perfect**Pad® ECO	AC5	20 years	✓	✓	✓			✓	✓	6
REAL WOOD FLOORING	**REAL WOOD** **1383 x 244 mm** | 54.45" x 9.61"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**8.5 mm**	Titanium Ultra*6	20 years		✓				Soft Bevel		3
MO.RE! WATER RESISTANT FLOORING	**LONG PLANK 12** **2003 x 245 mm** | 78.86" x 9.65"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**12 mm**	AC5	30 years	✓	✓		✓*4		✓	✓*4	6
	ATLANTIC 12 **1288 x 195 mm** | 50.71" x 7.68"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**12 mm**	AC5	30 years	✓	✓		✓*4		✓	✓	6
	ATLANTIC 10 **1288 x 195 mm** | 50.71" x 7.68"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**10 mm**	AC5	30 years	✓	✓		✓*4		✓	✓	14
	HERRINGBONE 8 **630 x 126 mm** | 24.80" x 4.96"	4 drops · water resistant · m.o.re! moisture resistance technology	**8 mm**	AC5	20 years	✓	✓		✓*4	✓*4	✓	✓*4	10
	LONG PLANK 8 **2003 x 245 mm** | 78.86" x 9.65"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**8 mm**	AC4	20 years		✓		✓	✓	✓	✓*4	6
	ATLANTIC 8 **638 x 330 mm** | 25.12" x 12.99" **1288 x 195 mm** | 50.71" x 7.68"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**8 mm**	AC4	20 years		✓		✓*4	✓*4	✓	✓*4	26
	ATLANTIC 7 **1288 x 245 mm** | 50.71" x 9.65" **1288 x 195 mm** | 50.71" x 7.68"	4 drops · water*2 resistant · m.o.re! moisture resistance technology	**7 mm**	AC4	20 years		✓				✓		8
LAMINATE FLOORING	**SUPER NATURAL 8** **1288 x 195 mm** | 50.71" x 7.68"	3 drops · OPTI WOOD TECHNOLOGY	**8 mm**	AC4	20 years		✓				✓	✓*4	12

185 SKU

Global Range Decor Overview

	Collection	Decors
ROCKO VINYL FLOORING	LONG PLANK SILENT	R236 R241 R244 R243
	HERRINGBONE SILENT	K804 K802 K805 K800 K803 K801
	WIDE PLANK SILENT	R248 R245 R235 R232 R242 R066 R240 R231 R247 R233 R133 R239
	STANDARD PLANK SILENT	R078 R250 R251 R238 R237 R081 R234 R246
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK	K844 K854 K847 K852 K853 K843 K850 K849
	FLEX SILENT CORK	K500 K503 K506 K501 K507 K504 K502 K505 K508 K509 K510
	CLASSIC SILENT ECO / CORK	K668 K406 K2971 K2907 K665 K230 K405 K224 K2909 5947 O980 O771
	CLASSIC	K231 K669 K406 K405 K230 K224 5947 K479 K395 K881 K035 K387
	COMFORT SILENT CORK	5953 K453 K329 K224 K489 K445
	CLEVER SILENT ECO	K063 K452 K853 K598 K327 K489
REAL WOOD FLOORING	REAL WOOD	O273 O462 O352
MO.REI WATER RESISTANT FLOORING	LONG PLANK 12	K659 K657 K326 K662 K664 K851
	ATLANTIC 12	K845 K843 K726 K285 K476 K287
	ATLANTIC 10	K413 K665 K667 K669 K478 K852 K854 K853 K476 5947 5537 8155
	HERRINGBONE 8	K844 K847 K326 K843 K850 5947 K848 K488 K849 K023
	LONG PLANK 8	K844 K847 K843 K850 K848 K849
	ATLANTIC 8	K640 K451 K653 K469 K453 K326 K856 K2737 K844 K847 K843 K788
	ATLANTIC 7	K655 K652 K629 K654 K638 K649 K647 K650
LAMINATE FLOORING	SUPER NATURAL	K418 5946 5966 K057 K625 K419 5985 K338 8573 8575 K468 K635

*1 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.kronospan.com/en_EN/100hours-test/, up to 100 h no leakage based on ISO 4760:2022-05. This does not apply to Herringbone products.
*2 24 h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-more/
*3 According to warranty terms
*4 Selected Decors
*5 Class 34, EN 16511
*6 Class 32, EN 14354

K389



8156 K479

See all this and more at **krono-original.com**

K793 K855 K2738 K850 K795 K794 K848 K857 K461 K849 K538 K540 K539 K388

ROCKO TECHNOLOGY

Vinyl Flooring

A solid step up


Rocko Technology is an advanced innovation that combines a high-density mineral core (over 70% natural stone powder) with special components to create an ultra-rigid, waterproof, and dimensionally stable material.

It is the perfect waterproof foundation for residential and commercial environments, heavy foot traffic spaces and quick renovations.

DESIGNED TO ENDURE

Remarkably realistic visuals bring the timeless elegance of natural materials into your home.

From contemporary homes to high-traffic commercial spaces, Rocko® flooring is engineered to perform. With superior moisture protection and dimensional stability, our floors are ideal for any room, including kitchens and bathrooms. Easy to install and effortless to maintain, they offer the perfect blend of functionality and elegance.





R238 Dune Allegra Oak, SE

SENSOTOUCH

Embossed-in-Register Vinyl

SYNCHRONIZED TO PERFECTION

Our pioneering Embossed-in-Register vinyl flooring is where beauty and performance move in perfect harmony.

Engineered for ultimate rigidity and durability, our SPC core delivers exceptional stability underfoot, ensuring your floors stand the test of time in even the busiest spaces.

Every detail is captured to perfection thanks to the Embossed-in-Register texture that seamlessly follows the grain of the wood.

The result? A look and feel that's stunningly realistic.

This symbol highlights all SensoTouch decors

SENSOTOUCH





R246 Cadenza Walnut, SE



R242 Natural Willamette Hickory, SE

Appearance of natural wood

Rocko Flooring designs are digitally printed, reflecting the smallest detail and the rich grain of wood.



Waterproof and suitable for bathrooms, kitchens, hallways, and public spaces



Rigid Vinyl core for improved strength and 1clic 2go pure installation




Stable under temperature changes, ideal for heated floors or sunny rooms



R244 Blond Newport Oak, SE

Ensured stability

Rocko Flooring range is set apart from other types of vinyl flooring by its unique resilient core, which provides an incredibly stable base for each flooring plank and ensures dimensional stability, even with high temperature fluctuations.



Designs that match your style and ideas



Low-maintenance and easy to clean



Perfect for renovation thanks to reduced subfloor preparation needs

LONG PLANK SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1850 x 295 mm | 72.83“ x 11.61“

Thickness:
6 mm

Lock:
1clic 2go pure

ROCKO TECHNOLOGY

EN 16511

23 | 34 | TITANIUM ULTRA ★★★★★★ | 30 YEARS | 4

R236 Seashell Regis Oak, SE

new

R236
Seashell Regis Oak, SE

SENSOTOUCH

new

R241
Natural Cortona Oak, SE

SENSOTOUCH

new

R244
Blond Newport Oak, SE

SENSOTOUCH

LONG PLANK SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1850 x 295 mm | 72.83“ x 11.61“

Thickness:
6 mm



R243
Smoked Luna Walnut, SE





R243 Smoked Luna Walnut, SE



HERRINGBONE SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
635 x 127 mm | 25.00“ x 5.00“

Thickness:
6 mm

Lock:
Fold Down

ROCKO TECHNOLOGY

EN 16511

23 | 34 | TITANIUM ULTRA ★★★★★★ | 30 YEARS

K805 Gold Highgate Oak, HT

new

K804
Natural Montanara Oak, MR

new

K802
Honey Montanara Oak, MR

new

K805
Gold Highgate Oak, HT

HERRINGBONE SILENT


waterproof

with **Perfect**Pad® IXPE 1 mm


Format:
635 x 127 mm | 25.00“ x 5.00“

Thickness:
6 mm


K800
Greige Montanara Oak, MR
new



K803
Tobacco Montanara Oak, MR
new



K801
Steel Montanara Oak, MR
new





K803 Tobacco Montanara Oak, MR



WIDE PLANK SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1210 x 234 mm | 47.64“ x 9.21“

Thickness:
6 mm

Lock:
1clic 2go pure

ROCKO TECHNOLOGY

* selected decors

EN 16511

23 | 34 | TITANIUM ULTRA ★★★★★★ | 30 YEARS | 4 | *

R248 Pebble Richelieu Oak, MW

new

R248
Pebble Richelieu Oak, MW

new

R245
Ash Newport Oak, SE

SENSOTOUCH

new

R235
Honey Regis Oak, SE

SENSOTOUCH

WIDE PLANK SILENT


waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1210 x 234 mm | 47.64“ x 9.21“

Thickness:
6 mm

R232
Straw Villa Rica Oak, FN
new



R242
Natural Willamette Hickory, SE
new



R066
Sculpta, HS






R232 Straw Villa Rica Oak, FN

R240
Pure Cortona Oak, SE
new



R231
Cookie Villa Rica Oak, FN
new



R247
Golden Richelieu Oak, MW
new



WIDE PLANK SILENT


waterproof

with **Perfect**Pad® IXPE 1 mm









R233 Caramel Regis Oak, SE

Format:
1210 x 234 mm | 47.64“ x 9.21“

Thickness:
6 mm



STANDARD PLANK SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1210 x 192 mm | 47.64“ x 7.56“

Thickness:
6 mm

Lock:
1clic 2go pure

ROCKO TECHNOLOGY
* selected decors

EN 16511

23 | 34 | TITANIUM ULTRA ★★★★★★ | 30 YEARS | 4 | *

R250 Linen Cortado Oak, MW

R078
Airflow, HS

new

R250
Linen Cortado Oak, MW

new

R251
Sand Mesa Oak, MW

STANDARD PLANK SILENT

waterproof

with **Perfect**Pad® IXPE 1 mm

Format:
1210 x 192 mm | 47.64“ x 7.56“

Thickness:
6 mm

R238
Dune Allegra Oak, SE
new
SENSOTOUCH

R237
Raw Stackhouse Oak, SE
new
SENSOTOUCH

R081
Crescendo, HS



K234 Harvest Regis Oak, SE

new
R234
Harvest Regis Oak, SE
SENSOTOUCH

new
R246
Cadenza Walnut, SE
SENSOTOUCH

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

Waterproof Wood Flooring

THE FLOOR THAT COMBINES THE BEST



K854 Sand Ribera Oak, RR

ENVIRONMENTALLY FRIENDLY CORE
organic chemical binders and sustainably sourced wood

ADVANCED WATERPROOF PERFORMANCE
technologically enhanced traditional self-sealing wood properties

FAST INSTALLATION & EASY CARE

INDIVIDUALITY THROUGH DESIGN
a wide variety of plank formats and thicknesses

ROBUST SURFACE

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

Waterproof Wood-Based Flooring

O.R.C.A. (Organic*1 Rigid Coreboard Abrasion-proof Flooring) brings together the natural beauty of wood with advanced waterproofing performance.

It is made exclusively from timber, sourced in sustainably managed forests. Free from PVC*3 and made with organic chemical binders. Our floors store biogenic CO_2 during their lifetime.

Inspired by traditional wooden barrels and boats, O.R.C.A. flooring uses wood's natural self-sealing properties to resist moisture for up to 100 hours*2. This quality makes it suitable for bathrooms, hallways, kitchens, and even high-traffic public spaces.

Each one of its wood fibers is individually encapsulated in a special moisture-repellent binder, reducing water absorption and ensuring long-lasting dimensional stability.

O.R.C.A.® comes in a variety of formats, thicknesses, and plank sizes, offering total design freedom while meeting the technical needs of each space.

Life Happens. O.R.C.A. Stays.
Don't let a spill ruin your day, or your floor.
Equipped with the revolutionary O.R.C.A. Moisture Defense Technology, our flooring is engineered to handle life's little accidents with ease.

Whether it's a major mishap with 100 hours of full water load protection, or the daily challenges of a busy home, tested for 1 hour of water exposure every single day for 100 days, O.R.C.A. stands resilient. Combining the beauty of organic materials with the endurance of a waterproof surface, it's the ultimate worry-free solution for your kitchen, bathroom, and beyond.



K501 Sand River Oak, TN



THE FLOOR THAT`S NOT AFRAID OF WATER

100h+ surface water protection guaranteed*2

Little accidents occur almost daily.
Our O.R.C.A. floors can withstand them.

SURFACE PROTECTION 100h+ GUARANTEED* WATER DEFENSE TECHNOLOGY

waterproof

*1 Consists of natural wood and an organic chemical binder
*2 24h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100h+ surface water protection according to works standard specification KRONOSPAN WN-101,www.kronospan.com/en_EN/100hours-test/, up to 100h no leakage based on ISO 4760:2022-05
*3 May contain traces of PVC, e.g. from packaging

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

DURASTAR SILENT CORK

UNMATCHED DURABILITY. STAR-LIKE PERFORMANCE.



DURASTAR SILENT CORK brings together the very best of Kronospan's innovations and craftsmanship. Featuring nature-inspired decors, realistic tactile textures, and our most advanced waterproof technology O.R.C.A.
The collection achieves the highest utilization class AC6.

Walk on floors built with style for comfort and durability that you can trust in the moments that matter the most.

AC6
★★★★★★

DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

Format:
1288 x 245 mm | 50.71“ x 9.65“

Thickness:
13 mm

Lock:
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY
* selected decors

EN 13329

23 | 33 | AC6 ★★★★★★ | LIFE TIME | 4 | *

K844 Cream Darcy Oak, DY

new
K844
Cream Darcy Oak, DY

new
K854
Sand Ribera Oak, RR

new
K852
Vintage Ribera Oak, RR

DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

K853
Honey Ribera Oak, RR

new





K853 Honey Ribera Oak, RR

Format:
1288 x 245 mm | 50.71“ x 9.65“

Thickness:
13 mm



O.R.C.A. WATERPROOF FLOORING

DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm


Format:
630 x 126 mm | 24.80“ x 4.96“

Thickness:
9 mm

Lock:
Fold Down

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

EN 13329



K847 Blonde Montanara Oak, MR

new

K847
Blonde Montanara Oak, MR

new

K843
Natural Darcy Oak, DY

new

K850
Smoked Montanara Oak, MR

DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

K849
Dark Montanara Oak, MR

new





K849 Dark Montanara Oak, MR

Format:
630 x 126 mm | 24.80“ x 4.96“

Thickness:
9 mm



DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

K847 Blonde Montanara Oak, MR

Formats:
1288 x 245 mm | 50.71“ x 9.65“
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
9 mm

Lock:
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY

EN 13329

23 | 33 | AC6 ★★★★★★ | LIFE TIME | 4

Format:
1288 x 245 mm | 50.71“ x 9.65“
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
9 mm

new
K847
Blonde Montanara Oak, MR

new
K843
Natural Darcy Oak, DY

new
K850
Smoked Montanara Oak, MR

DURASTAR SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

K849
Dark Montanara Oak, MR

new





K849 Dark Montanara Oak, MR

Format:
1288 x 245 mm | 50.71“ x 9.65“
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
9 mm



O.R.C.A. WATERPROOF FLOORING

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

FLEX SILENT CORK
Wood n’ vinyl

THE WARMTH OF WOOD. THE STRENGTH OF VINYL.

This next generation of flooring takes innovation a step further – our sustainable wood-based O.R.C.A. core delivers advanced water protection, while a resilient vinyl surface ensures complete waterproof strength.

Engineered for everyday living, it offers a cork underlay for whisper-quiet steps and extra thermal insulation, a scratch resistant surface for effortless maintenance, and a 7 mm plank thickness for seamless installation without undercutting the door jamb.





FLEX SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

Format:
1288 x 189 mm | 50.71“ x 7.44“

Thickness:
7 mm

Formats:
638 x 322 mm | 25.12“ x 12.68“
1288 x 189 mm | 50.71“ x 7.44“

Thickness:
7 mm

Lock:
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY

EN 16511

23 | 34 | TITANIUM ULTRA ★★★★★★ | 30 YEARS | 4 | KG

K500 Pearl River Oak, TN



K500
Pearl River Oak, TN



K503
Pebble Manor Oak, TN



K506
Lunar Range Oak, TN

FLEX SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

Format:
1288 x 189 mm | 50.71“ x 7.44“

Thickness:
7 mm



K501
Sand River Oak, TN

B/R10



K502
Flax River Oak, TN

B/R10




K507
Hazel Range Oak, TN

B/R10



K505
Tobacco Manor Oak, TN

B/R10



K504
Tuscan Manor Oak, TN

B/R10



K501 Sand RIver Oak, TN

O.R.C.A. WATERPROOF WOOD FLOORING

FLEX SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm








K509 Brooklyn Vibe, US

Format:
638 x 322 mm | 25.12“ x 12.68“

Thickness:
7 mm



O.R.C.A. WATERPROOF FLOORING

CLASSIC SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

Format:
1383 x 159 mm | 54.45“ x 6.26“


Thickness:
8.5 mm

Lock:
Angle Tap

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

EN 13329

23 | 33 | AC5 ★★★★★ | 30 YEARS



O980
Natural Red Oak, HG



O771
Pacific Cherry, HG



O980 Natural Red Oak, HG

CLASSIC SILENT ECO

waterproof

with **Perfect**Pad® Eco 1 mm

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
9 mm

Formats:
1286 x 192 mm | 50.63” x 7.56”
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8.5 | 9 mm

Lock:
Angle Tap
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY
* selected decors

EN 13329

23 | 33 | AC5 ★★★★★ | 30 YEARS | 4* | * | *
* | * | * | * | * | * | *

K406 Eurus Oak, NL

K668
Mist Ethereal Oak, ET

B/R10

K406
Eurus Oak, NL

R10

K405
Solar Oak, NL

R10

O.R.C.A. WATERPROOF FLOORING

CLASSIC SILENT ECO

waterproof

with **Perfect**Pad® Eco 1 mm

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
9 mm

K230
Golden Vista Oak, TO


R9

5947
Historic Oak, HO

R10

K224
Wild West Oak, NL

R10



5947 Historic Oak, HO

K665
Copper Ethereal Oak, ET

B/R10




O.R.C.A. WATERPROOF FLOORING

CLASSIC SILENT ECO


waterproof

with **Perfect**Pad® Eco 1 mm


K2907
Palermo Sarocco Oak, SC
new




K2971
Avola Sarocco Oak, SC
new



K2909
Trapani Sarocco Oak, SC
new






K2971 Avola Sarocco Oak, SC

Format:
1286 x 192 mm | 50.63“ x 7.56“

Thickness:
8.5 mm





Pressed
Bevel

O.R.C.A. WATERPROOF FLOORING

CLASSIC

waterproof

Formats:
638 x 330 mm | 25.12“ x 12.99“
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

Lock:
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY
* selected decors

EN 13329

23 | 33 | AC5 ★★★★★ | 30 YEARS | 4 | *

K669 Rope Ethereal Oak, ET

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

K231
Misty Plains Oak, TO

R9

K669
Rope Ethereal Oak, ET

B/R10

K406
Eurus Oak, NL

R10

CLASSIC

waterproof


Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm


K405
Solar Oak, NL



K230
Golden Vista Oak, TO




5947
Historic Oak, HO





K405 Solar Oak, NL

K224
Wild West Oak, NL



K395
Tornado Oak, NL



K479
Espresso Carpenter Oak, CM



O.R.C.A. WATERPROOF FLOORING

CLASSIC

waterproof

Format:
638 x 330 mm | 25.12“ x 12.99“

Thickness:
8 mm

K881
Babylon Slate, AS
new

R9

K035
Crosstown Traffic, AS

R10

K387
Silverado Slate, OS

R9

K389
Nightfall Slate, OS

R9

K035 Crosstown Traffic, AS

COMFORT SILENT CORK

waterproof

with **Perfect**Pad® Cork 1 mm

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

Lock:
1clic 2go pure+

O.R.C.A.®
WATER DEFENSE TECHNOLOGY

EN 13329

23 | 32 | AC5 ★★★★★ | 20 YEARS | 4

K453 Biscotti Oak, RO

5953
Chantilly Oak, RO
R10

K453
Biscotti Oak, RO
R10

K445
Ethereal Oak, TO
R9

COMFORT SILENT CORK


waterproof

with **Perfect**Pad® Cork 1 mm








K224 Wild West Oak, TO

Format:
1288 x 195 mm | 50.71“ x 7.44“

Thickness:
8 mm



O.R.C.A. WATERPROOF FLOORING

CLEVER SILENT ECO

waterproof

with **Perfect**Pad® Eco 1 mm

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
7 mm

Lock:
1clic 2go pure+

O.R.C.A.® WATER DEFENSE TECHNOLOGY

EN 13329

23 | 32 | AC5 ★★★★★ | 20 YEARS | 4

K063 Organic Oak, TO

K063
Organic Oak, TO

R9

K452
Ashland Oak, HO

R10

new

K853
Honey Ribera Oak, RR


CLEVER SILENT ECO

waterproof

with **Perfect**Pad® Eco 1 mm



K598
Heathland Oak, HO



K327
Hillside Oak, RO



K489
Bourbon Hills Oak, HO



Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
7 mm



K489 Bourbon Hills Oak, HO

O.R.C.A. WATERPROOF FLOORING

m.re!
moisture resistance technology

Moisture Resistant Flooring

MO.RE! CAN STAND UP TO WHAT LIFE BRINGS



K285 Haybridge Oak, HO



SURFACE PROTECTION 48h GUARANTEED* WATER DEFENSE TECHNOLOGY

water resistant

mo.re! is based on a specially developed substrate formula. Its new binding agent makes the flooring more durable and decreases swelling - improving resistance to moisture penetration.

A.B.C. ANTIBACTERIAL** COMFORT

LONG-LASTING COLOR, UV PROTECTION

WATER RESISTANT*

PROTECTION AGAINST MICRO SCRATCHES

PVC FREE***

* 24h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-more/

** Tested germs: Staphylococcus aureus

*** May contain traces of PVC, e.g. from packaging

Real Wood

REAL WOOD SURFACE WITH MO.RE! INNOVATIVE MOISTURE RESISTANT CORE

BEAUTY AND ELEGANCE IN ONE

SOFT BEVEL EDGES THAT MATCH AND ENHANCE THE FLOOR'S NATURAL WARMTH



O352 Roast Oak, LU

REAL WOOD

water resistant

Format:
1383 x 244 mm | 54.45“ x 9.61“

Thickness:
8.5 mm

Lock:
Angle Tap

m.re! moisture resistance technology

EN 14354

23 | 32 | TITANIUM ULTRA ★★★★★★ | 20 YEARS


O273 Bradford Oak, LU



O273
Bradford Oak, LU



O462
Schönbrunn Oak, LU



O352
Roast Oak, LU

LONG PLANK 12

water resistant


Format:
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
12 mm

Lock:
1clic 2go pure+

m.re! moisture resistance technology
* selected decors

EN 13329



K326 Sundace Oak, RO

K659
Blonde Montreux Oak, MX



K657
Honey Montreux Oak, MX




K326
Sundace Oak, RO




LONG PLANK 12

water resistant



K662
Sepia Tegernsee Oak, TG



K664
Hare Tegernsee Oak, TG



K851
Ferry Oak, MW



Format:
2003 x 245 mm | 78.68“ x 9.65“

Thickness:
12 mm



K664 Hare Tegernsee Oak, TG

ATLANTIC 12

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
12 mm

Lock:
1clic 2go pure+

m.re!
moisture resistance technology
* selected decors


EN 13329

23 | 33 | AC5 ★★★★★ | 30 YEARS | 4 | *

K845 Hay Darcy Oak, DY

new

K845
Hay Darcy Oak, DY




new

K843
Natural Darcy Oak, DY



K285
Haybridge Oak, HO



ATLANTIC 12

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
12 mm

K726
Honey Ethereal Oak, ET

B/R10

K476
Inca Carpenter Oak, CM

R9

K287
Steelworks Oak, HO

R10





K476 Inca Carpenter Oak, CM

ATLANTIC 10

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
10 mm


Lock:
1clic 2go pure+

m.re! moisture resistance technology
* selected decors


EN 13329

23 | 33 | AC5 | 30 YEARS | 4


K852 Vintage Ribera Oak, RR



K667
Alpaca Ethereal Oak, ET



K669
Rope Ethereal Oak, ET



K852
Vintage Ribera Oak, RR


ATLANTIC 10

water resistant


Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
10 mm


K854
Sand Ribera Oak, RR
new



K853
Honey Ribera Oak, RR
new




K478
Mushroom Carpenter Oak, CM





K853 Honey Ribera Oak, RR


K665
Copper Ethereal Oak, ET



K413
Blackwater Oak, OE



5537
Tawny Chestnut, RC



MO.RE! WATER RESISTANT FLOORING

ATLANTIC 10

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
10 mm

5947
Historic Oak, HO

R10

K476
Inca Carpenter Oak, CM

R9

8155
Appalachian Hickory, VH

8156
Red River Hickory, VH

K479
Espresso Carpenter Oak, CM

R9

K479 Espressoo Carpenter Oak, CM

HERRINGBONE 8

water resistant

Format:
630 x 126 mm | 24.80“ x 4.96“

Thickness:
8 mm

Lock:
Fold Down

m.re! moisture resistance technology
* selected decors

EN 13329

23 | 32 | AC5 | 20 YEARS | 4 | R10*

K326 Sundance Oak, RO

K326
Sundance Oak, RO

R10

new

K844
Cream Darcy Oak, DY

new

K847
Blonde Montanara Oak, MR

MO.RE! WATER RESISTANT FLOORING

HERRINGBONE 8

water resistant

Format:
630 x 126 mm | 24.80“ x 4.96“

Thickness:
8 mm

K843
Natural Darcy Oak, DY
new

K850
Smoked Montanara Oak, MR
new

K848
Aged Montanara Oak, MR
new



K488 Rutherford Oak, HO

K488
Rutherford Oak, CM
R9

5947
Historic Oak, HO
R10

K849
Dark Montanara Oak, MR
new

HERRINGBONE 8

water resistant

K023
Venato, SU





Format:
630 x 126 mm | 24.80“ x 4.96“

Thickness:
8 mm



K023 Venato, SU

LONG PLANK 8

water resistant

Format:
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
8 mm

Lock:
1clic 2go pure+

m.re! moisture resistance technology

EN 13329

23 | 32 | AC4 | 20 YEARS | 4

K847 Blonde Montanara Oak, MR

new

K844
Cream Darcy Oak, DY

new

K847
Blonde Montanara Oak, MR


new

K843
Natural Darcy Oak, DY

LONG PLANK 8

water resistant


K850
Smoked Montanara Oak, MR
new



K848
Aged Montanara Oak, MR
new



K849
Dark Montanara Oak, MR
new





Format:
2003 x 245 mm | 78.86“ x 9.65“

Thickness:
8 mm



K850 Smoked Montanara Oak, MR

MO.RE! WATER RESISTANT FLOORING

ATLANTIC 8

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

Formats:
638 x 330 mm | 25.12“ x 12.99“
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

Lock:
1clic 2go pure+

m.re! moisture resistance technology
* selected decors

EN 13329

23 | 32 | AC4 ★★★★ | 20 YEARS | 4 | * | * | *

K653 Ecru Cantal Oak, MW

K640
Cotton Greenvale Oak, MW

B/R10

K451
Silverdale Oak, HO

R10

K653
Ecru Cantal Oak, MW

B/R10

ATLANTIC 8

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

K469
Tortilla Cashmere Oak, NL

R10

K453
Biscotti Oak, HO

R10

K326
Sundance Oak, RO

R10



K469 Tortilla Cashmere Oak, NL

new

K844
Cream Darcy Oak, DY

new

K856
Greige Palais Oak, MW

B/R10

new

K2737
Cotta Cremona Oak, MW

B/R10

MO.RE! WATER RESISTANT FLOORING

ATLANTIC 8

water resistant

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

K847
Blonde Montanara Oak, MR
new

K843
Natural Darcy Oak, DY
new

K788
Beige Parioli Oak, MW
new
B/R10



K2738 Torro Cremona Oak, MW

new
K793
Natural Parioli Oak, MW
B/R10

new
K855
Antique Parioli Oak, MW
B/R10

new
K2738
Torro Cremona Oak, MW
B/R10


ATLANTIC 8

water resistant


Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm


K850
Smoked Montanara Oak, MR
new



K795
Tan Parioli Oak, MW
new




K794
Old Camberwick Oak, MW
new





K857 Grey Palais Oak, MW

K848
Aged Montanara Oak, MR
new



K857
Grey Palais Oak, MW
new



K461
Antique Volcano Oak, NL



ATLANTIC 8

water resistant

K849
Dark Montanara Oak, MR

new





Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm



K849 Dark Montanara Oak, MR

ATLANTIC 8

water resistant

Format:
638 x 330 mm | 25.12“ x 12.99“

Thickness:
8 mm

K538
Dovetail Arosa, AS

R10

K540
Grey Albus, AS

R10

K539
Fossil Arosa, AS

R10



K388
Pewter Slate, OS

R9



K539 Fossil Arosa, AS

ATLANTIC 7

water resistant

Formats:
1288 x 245 mm | 50.71“ x 9.65“
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
7 mm

Lock:
1clic 2go pure+

m.re! moisture resistance technology

EN 13329

23 | 32 | AC4 ★★★★ | 20 YEARS | 4

K652 Cashmere Montreux Oak, MW

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
7 mm

K652
Cashew Montreux Oak, MW

B/R10

K629
Gold Fiordaliso Oak, MW

B/R10

K654
Sand Cantal Oak, MW

B/R10

ATLANTIC 7

water resistant

K638
Wheat Cornforth Oak, MW

B/R10

K647
Clay Sola Oak, MW

B/R10

K650
Grizzly Montreux Oak, MW

B/R10



Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
7 mm



K647 Clay Sola Oak, MW

ATLANTIC 7

water resistant


K655
Dove Cantal Oak, MW



K649
Sienna Montreux Oak, MW







K655 Dove Cantal Oak, MW

Format:
1288 x 245 mm | 50.71“ x 9.65“

Thickness:
7 mm



OPTI WOOD TECHNOLOGY

Laminate Flooring

with
Optimized Wood
Fiber Technology

FAVOURITE FOR EVERYDAY LIVING





K625 Wheat Pistachio Oak, MW

SURFACE PROTECTION 8h GUARANTEED* WATER DEFENSE TECHNOLOGY

Time on Your Side:
Protection against standing water.

AUTHENTIC LOOK AND FEEL

LIGHT RESISTANT

DIY-FRIENDLY INSTALLATION

HYGIENIC* AND EASY-TO-CLEAN SURFACE

UTILIZATION CLASS 32

* Tested germs: Staphylococcus aureus

SUPER NATURAL 8

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

Lock:
1clic 2go pure+

OPTI WOOD TECHNOLOGY
* selected decors

EN 13329

23 | 32 | AC4 ★★★★ | 20 YEARS | 4 | *

5966 Khaki Oak, NL



K418
Longbow Oak, GT



5946
Rockford Oak, NL



5966
Khaki Oak, NL

SUPER NATURAL 8

Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm

K057
Clearwater Oak, GT



K625
Wheat Pistachio Oak, MW



B/R10

K419
Armoury Oak, GT





K057 Clearwater Oak, GT

5985
Sherwood Oak, GT



K338
Credenza Oak, NL



R10

8573
Harlech Oak, LP



SUPER NATURAL 8



8575
Blonde Oak, LP



K468
Gondola Oak, GT



K635
Fawn Apollo Oak, MW

B/R10



Format:
1288 x 195 mm | 50.71“ x 7.68“

Thickness:
8 mm



K468 Gondola Oak, GT

K543 Sand Barbera Oak, SN

WALLS

Acoustic Panels

YOUR SPACE, YOUR SOUND, PERFECTED


Creative Freedom

Acoustic panels allow you to quickly and effectively create elevated contemporary interior spaces.

Exclusive Design

An exclusive appearance, expressed through refined aesthetics and elegance.

POLYESTER MADE OF RECYCLED PET FIBERS



K543 Sand Barbera Oak, SN



K688 Natural Canella Oak, PW



K547 Tobacco Franklin Walnut, RW

K543 Sand Barbera Oak, SN

Think.
Create.
Innovate.

Format:
2600 x 600 mm | 102.36“ x 23.62“

Thickness:
17 mm

ACOUSTIC ABSORBER


INVISIBLE TRANSITION

STAIN RESISTANT

THERMAL INSULATION


EASY TO MAINTAIN

UV STABILITY



K543
Sand Barbera Oak, SN

Surface: Authentic Wood Texture
Slats: MDF Deep Black (9 mm)
Base: Black Polyester (8 mm)



K688
Natural Canella Oak, PW

Surface: Authentic Wood Texture
Slats: MDF Natural (9 mm)
Base: Black Polyester (8 mm)



K547
Tobacco Franklin Walnut, RW

Surface: Authentic Wood Texture
Slats: MDF Deep Black (9 mm)
Base: Black Polyester (8 mm)

Kronowall 3D Panels

WALLS WORTH SHOWING OFF

When it comes to adding style and character to your spaces, our 3D wall panels are the easy choice to make.
Their smart mounting system ensures quick, precise, and hassle-free installation. Each panel is 12 mm thick with a durable, easy-to-clean and maintain surface for long-lasting beauty.



K284 Breeze Oak, RO



Format:
1296 x 132 mm | 51.02“ x 5.20“

Thickness:
12 mm

LIGHTFAST SURFACE

EASY TO CLEAN

HEAT RESISTANT

AUTHENTIC EMBOSSED







EASY STYLE FOR EVERY WALL



Fast and easy installation due to the click connection

Variable longitudinal joint design

Suitable for humid areas

Perfect connection with self-locking tongue & groove profile on the short side



Format:
1300 x 202 mm | 51.18“ x 7.95“
2000 x 202 mm | 78.74“ x 7.95“
2600 x 202 mm | 102.36“ x 7.95“

Thickness:
10 mm

LIGHTFAST SURFACE

EASY TO CLEAN

SUITABLE FOR BATHROOMS

Format:
2000 x 202 mm | 78.74“ x 7.95“

Thickness:
10 mm

9002
White Uni

9077
Edelweiss Pore



WALL & CEILING PANELS

9060
Pear White



9067
Light Grey Oak





Format:
1300 x 202 mm | 51.18“ x 7.95“
2600 x 202 mm | 102.36“ x 7.95“

Thickness:
10 mm



Krono Original®
High Quality
Made by Kronospan

Accessories that match your floor perfectly

Selected range of products

Every floor needs proper accessories. We supply you with the ideal equipment for all types of flooring. One contact, one supplier – making everything so much simpler for you.

Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when installing the flooring. For this we offer multiple solutions.

Skirting boards

Choose from a range of skirtings in various decors that match all KronoOriginal® floors. Our advanced fixing system makes it quick and simple to achieve a perfect installation.

Additional accessories

If you still look for the proper skirting board, corner pieces, aluminium adhesive tape for sealing or you are done and wish to mop the floor, take a look at the following pages and discover the wide range of accessories.

Krono Original

KronoOriginal®

GET IT ON Google Play

Download on the App Store



All under one roof

Our guidance system shows the matching products for different types of floor.

REAL WOOD
REAL WOOD
Height: 8.5 mm

VINYL Flooring
Vinyl flooring:
Height: 6 mm,
including silent pad

O.R.C.A. Flooring
O.R.C.A. flooring:
Height: 7, 8, 8.5, 9, 13 mm, organic rigid coreboard

MO.RE! Flooring
MO.RE! flooring:
Height: 7, 8, 10 and 12 mm

Laminate Flooring
Laminate flooring:
Height: 8 mm

Underlays

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Underlay PUR 1.0		98535 [EX PUR1.0_ORCA] 98535 [EX PUR1.0_SPC]	Material: PET film + polyurethane heavy-duty layer + non-woven material	1 x 10 m = 10 m²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring
Underlay PUR 2.0		98571 [EX KO98571N]	Material: Polyurethan and mineral fillers	1 x 7.5 m = 7.5 m²	REAL WOOD, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay WOOD 5.0		90171 [EX 90171.]	Material: Wood fibres	0.79 x 0.59 m x 15 = 7 m²	REAL WOOD, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay XPS 5.0		98536 [EX XPS5.0]	Material: Extruded polystyrene	1.18 x 4.7 m = 5.5 m²	MO.RE! Flooring, Laminate Flooring
Underlay XPS 2.2 ALU		98515 [EX XPS2.2ALU]	Material: HFPS-foam & moisture protection foil	1.2 x 12.5 m = 15 m²	REAL WOOD, MO.RE! Flooring, Laminate Flooring
PE foil		98111 [EX FOLIE2.0]	Material: Polyethylene	2 x 7.5 m = 15 m²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Aluminium tape		98191 [EX ALUBAND]	Thickness: 0.048 mm Width: 50 mm	1 roll (50 m)	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring



Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
K58C skirting board		91061 [EX xxxxSLH]	2600 x 58 x 18 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
K58C skirting board moisture resistant		97345 [EX SK58C-xxxx]	2400 x 58 x 18 mm	10 pcs.	VINYL Flooring
K58C skirting board for floors with O.R.C.A. (Water Defense Technology)		95316 [EX xxxxSLH-ORCA]	2600 x 58 x 18 mm	10 pcs.	O.R.C.A. Flooring
Square cut skirting board		95951 [EX 9002DS19_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95481 [EX 9002DS19_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95491 [EX 9002DS19_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95981 [EX 9002DS17_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring

Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Shaped skirting board		95991 [EX 9002DS17_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95471 [EX 9002DS17_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96001 [EX 9002DS15_100]	2600 x 100 x 15 mm	5 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96021 [EX 9002DS16_90]	2600 x 90 x 16 mm	5 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96011 [EX 9002DS15_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Accessories for K58C skirting board		98011 98001 98021	External corners Internal corners End caps	90° in packs of 2 90° in packs of 2 in packs of 4, 2 left and 2 right	VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Mounting clips		91501 [EX 50510]	-	Box of 30 pieces, complete with screws and rawl plugs	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

Profile systems

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Design click transition profile, 2-part		95112 95113	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring
Design click ramp profile, 2-part		95122 95123	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring
Design click end profile, 2-part		95132 95133	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring
Transition click profile		98391 98381	900 mm or 2700 mm	1 pcs.	REAL WOOD, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Ramp click profile		98411 98401	900 mm or 2700 mm	1 pcs.	REAL WOOD, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
End click profile		98371 98361	900 mm or 2700 mm	1 pcs.	REAL WOOD, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
3in1 profiles		95315 [EX 95315-A002] anodised stainless steel	1000 mm	10 pcs.	O.R.C.A. Flooring

Additional accessories

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Tap-block		90274 [EX SCHLAGKLOTZ]	168/90 x 70 x 20 mm	20 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Clickguard™ joint sealant		90431 [EX 94270]	-	125 ml ≙ ca. 10 m²	O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Laminate cleaner		90411 [EX 92011]	-	1000 ml	REAL WOOD, MO.RE! Flooring, Laminate Flooring
Design floor cleaner		97554 [EX DESIGNBODEN_ REINIGER]	-	750 ml	VINYL Flooring
Cleaner for floors with O.R.C.A. (Moisture Defense Technology)		90411 [EX REINIGER_ORCA]	-	750 ml	O.R.C.A. Flooring

Packaging information

Flooring Type	Collection Name	Plank Size	Thickness	Planks/ Pack.	m² | sq ft/Pack.	Weight/Pack. [kg | lbs]	Pack./Pallet = m² | sq ft
ROCKO VINYL FLOORING	**LONG PLANK SILENT**	1850 x 295 mm | 72.83" x 11.61"	6 mm	4 planks	2.18 m² | 23.50 sqft.	22.1 kgs | 48.74 lbs	45 pack. = 98.24 m² | 1057 sqft.
	HERRINGBONE SILENT	635 x 127 mm | 25.00" x 5.00"	6 mm	20 planks	1.61 m² | 17.36 sqft.	17.60 kgs | 38.80 lbs	48 pack. = 77.42 m² | 833 sqft.
	WIDE PLANK SILENT	1210 x 234 mm | 47.64" x 9.21"	6 mm	6 planks	1.70 m² | 18.29 sqft.	16.91 kgs | 37.28 lbs	48 pack. = 81.54 m² | 878 sqft.
	STANDARD PLANK SILENT	1210 x 192 mm | 47.64" x 7.56"	6 mm	7 planks	1.63 m² | 17.50 sqft.	15.88 kgs | 35.01 lbs	60 pack. = 97.57 m² | 1050 sqft.
O.R.C.A. WATERPROOF FLOORING	**DURASTAR SILENT CORK**	1288 x 245 mm | 50.71" x 9.65"	13 mm	5 planks	1.58 m² | 16.98 sqft.		39 pack. = 61.53 m² | 662 sqft.
		630 x 126 mm | 24.80" x 4.96"	9 mm	10 planks	0.79 m² | 8.54 sqft.	5.83 kgs | 12.85 lbs	96 pack. = 76.20 m² | 820 sqft.
		2003 x 245 mm | 78.86" x 9.65"	9 mm	6 planks	2.94 m² | 31.69 sqft.	20.00 kgs | 44.09 lbs	36 pack. = 106.00 m² | 1141 sqft.
		1288 x 245 mm | 50.71" x 9.65"	9 mm	8 planks	2.52 m² | 27.17 sqft.		32 pack. = 98.45 m² | 1060 sqft.
	FLEX SILENT CORK	638 x 322 mm | 25.12" x 12.68"	7 mm	12 planks	2.47 m² | 26.54 sqft.	15.97 kgs | 35.21 lbs	32 pack. = 78.89 m² | 849 sqft.
		1288 x 189 mm | 50.71" x 7.44"		10 planks	2.43 m² | 26.20 sqft.	15.71 kgs | 34.63 lbs	52 pack. = 126.58 m² | 1363 sqft.
	CLASSIC SILENT	1286 x 192 mm | 50.63" x 7.56" ECO	8.5 mm	9 planks	2.22 m² | 23.92 sqft.	15.70 kgs | 34.61 lbs	48 pack. = 106.67 m² | 1148 sqft.
	ECO/CORK	1288 x 195 mm | 50.71" x 7.68" ECO	9 mm	8 planks	2.01 m² | 21.63 sqft.	13.62 kgs | 30.03 lbs	52 pack. = 104.48 m² | 1125 sqft.
		1383 x 159 mm | 54.45" x 6.26" Cork	8.5 mm	11 planks	2.42 m² | 26.04 sqft.	16.22 kgs | 35.75 lbs	45 pack. = 108.85 m² | 1172 sqft.
	CLASSIC	638 x 330mm | 25.12" x 12.99"	8 mm	11 planks	2.32 m² | 24.93 sqft.	17.16 kgs | 37.83 lbs	32 pack. = 74.11 m² | 798 sqft.
		1288 x 195 mm | 50.71" x 7.68"		9 planks	2.26 m² | 24.33 sqft.	16.50 kgs | 36.38 lbs	52 pack. = 117.54 m² | 1265 sqft.
	COMFORT SILENT CORK	1288 x 195 mm | 50.71" x 7.68"	8 mm	9 planks	2.26 m² | 24.33 sqft.	16.41 kgs | 36.18 lbs	32 pack. = 72.33 m² | 779 sqft.
	CLEVER SILENT ECO	1288 x 195 mm | 50.71" x 7.68"	7 mm	9 planks	2.26 m² | 24.33 sqft.	14.38 kgs | 31.70 lbs	52 pack. = 117.54 m² | 1265 sqft.
REAL WOOD FLOO-RING	**REAL WOOD**	1383 x 244 mm | 54.45" x 9.61"	8.5 mm	7 planks	2.36 m² | 25.43 sqft.	16.11 kgs | 35.52 lbs	45 pack. = 106.30 m² | 1144 sqft.
MO.REI WATER RESISTANT FLOORING	**LONG PLANK 12**	2003 x 245 mm | 78.86" x 9.65"	12 mm	4 planks	1.96 m² | 21.13 sqft.	19.80 kgs | 43.65 lbs	36 pack. = 70.67 m² | 761 sqft.
	ATLANTIC 12	1288 x 195 mm | 50.71" x 7.68"	12 mm	6 planks	1.51 m² | 16.22 sqft.	15.35 kgs | 33.84 lbs	52 pack. = 78.36 m² | 843 sqft.
	ATLANTIC 10	1288 x 195 mm | 50.71" x 7.68"	10 mm	7 planks	1.76 m² | 18.92 sqft.	14.77 kgs | 32.56 lbs	52 pack. = 91.42 m² | 984 sqft.
	HERRINGBONE 8	630 x 126 mm | 24.80" x 4.96"	8 mm	11 planks	0.87 m² | 9.40 sqft.	5.98 kgs | 13,18 lbs	96 pack. = 83.83 m² | 902 sqft.
	LONG PLANK 8	2003 x 245 mm | 78.86" x 9.65"	8 mm	6 planks	2.94 m² | 31.69 sqft.	21.75 kgs | 47,95 lbs	36 pack. = 106.00 m² | 1141 sqft.
	ALTANTIC 8	1288 x 195 mm | 50.71" x 7.68"	8 mm	9 planks	2.26 m² | 24.33 sqft.	15.35 kgs | 33,84 lbs	52 pack. = 117.54 m² | 1265 sqft.
		638 x 330 mm | 25.12" x 12.99"		11 planks	2.32 m² | 24.93 sqft.	15.41 kgs | 33,97 lbs	32 pack. = 74.11 m² | 798 sqft.
	ATLANTIC 7	1288 x 245 mm | 50.71" x 9.65"	7 mm	9 planks	2.84 m² | 30.57 sqft.	16.74 kgs | 36,91 lbs	39 pack. = 110.76 m² | 1192 sqft.
		1288 x 195 mm | 50.71" x 7.68"		10 planks	2.51 m² | 27.03 sqft.	14.60 kgs | 32.19 lbs	52 pack. = 130.60 m² | 1406 sqft.
LAMINATE FLOORING	**SUPER NATURAL 8**	1288 x 195 mm | 50.71" x 7.68"	8 mm	9 planks	2.26 m² | 24.33 sqft.	15.35 kgs | 33.84 lbs	52 pack. = 117.54 m² | 1265 sqft.



K852 Vintage Ribera Oak, RR



Plank Size	630 x 126 mm 24.80" x 4.96"	635 x 127 mm 25.00" x 5.00"	638 x 322 mm 25.12" x 12.68"	638 x 330 mm 25.12" x 12.99"	1210 x 192 mm 47.64" x 7.56"	1210 x 234 mm 47.64" x 9.21"	1286 x 192 mm 50.63" x 7.56"	1288 x 189 mm 50.71" x 7.44"	1288 x 195 mm 50.71" x 7.68"	1288 x 245 mm 50.71" x 9.65"	1383 x 159 mm 54.45" x 6.26"	1383 x 244 mm 54.45" x 9.61"	1850 x 295 mm 72.83" x 11.61"	2003 x 245 mm 78.86" x 9.65"
Collection Name	Durastar Silent Cork Herringbone 8	Herringbone Silent	Flex Silent Cork	Classic Atlantic 8	Standard Plank Silent	Wide Plank Silent	Classic Silent Eco	Flex SIlent Cork	Classic, Classic Silent Eco Comfort Silent Cork Clever Silent Eco Atlantic 12 | 10 | 8 | 7 Super Natural 8	Durastar Silent Cork Atlantic 7	Classic Silent Eco	Real Wood	Long Plank Silent	Durastar Silent Cork Long Plank 12 | 8

Features guide
Your benefits at a glance

Residential guarantee
All floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.

Real groove
Bevelled edges on all four sides of the plank ensure an authentic floorboard look.

Pressed bevel
Inspired by traditional craftsmanship, the true-edge-bevels provide a harmonious room appearance.

Micro bevel
Micro bevel creates precise plank separation for a smooth and subtle surface.

Soft bevel
Soft bevel ensures easy plank joining and clean natural-looking finish.

Robust
This flooring is amazingly robust due to its super durable surface. Moving furniture or falling objects are not a problem because of its high pressure and impact resistance.

Warm underfoot
Due to its flexible design layer, the flooring has comfortable haptics and is warm underfoot.

Anti-slip class
Safety is something we put great emphasis on. Classification in anti-slip classes has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present. Classification: R9 and R10 according to DIN 51130 and DIN EN 16165, A and B according DIN 51097 and DIN EN 16165

Anti-slip class

Soft touch
The flooring has a soft surface and feels very comfortable.

Anti bacterial comfort
A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace of mind that comes from a healthy home environment. Tested germs: Staphylococcus aureus.

Authentic embossed
The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.

Microscratch protect
The robust surface protects your flooring against microscratches that can be caused by strong mechanical stresses or the claws of house pets.

Pet-proof
Thanks to the robust surface, which is also undaunted by small mishaps, the flooring is exceptionally well-suited for life with house pets.

Light-resistant
Even on days when the sun is shining for hours, your flooring maintains its color and does not fade. Not suitable for spaces with direct sunlight.

Silent
Due to the integrated pad, the flooring reduces impact sound, echoes and vibrations.

Real wood
This floor is made from real wood.
The high-quality brushed oak surface gives every room natural elegance.

Anti-static
The flooring provides complete protection against unpleasant shocks. The Anti-static is built-in and guaranteed for the life of the floor.

High Gloss
High Gloss Surface

Multi Room Concept
Design available in different plank formats for every space – long plank, herringbone, standard / wide plank

Perfect Plank
An innovative technology of digitally printed planks with low pattern repeat.

SENSOTOUCH
Digital technology for both printing and texturing, creating a perfectly harmonized decor.

Disclaimer

The information contained in this promotional material is for illustration and informational purposes only and is subject to change. Statements, figures, calculations, plans, images and representations are indicative only. Images may include sketches and computer generated images. The information contained in this material is a guide only and does not constitute an offer, inducement, representation, warranty or contract. Colors used in this promotional material may differ from the colors of products to be supplied. Customers and third parties must have a professional adviser inform them about (the suitability of) products for all desired applications.
Although every reasonable effort is made to present current and accurate information, Kronospan accepts no responsibility for the accuracy of any information contained herein or for any action taken in reliance thereon by any party. Kronospan makes no guarantees of any kind. No rights can be derived from the information provided. The use of the information is at the other party's risk and responsibility. Accordingly, any other party should confirm the accuracy and completeness of the information before making any decision related to any services, products or other matters described in this material. All intellectual property rights and other rights regarding the content of this material (including copyright, trademarks, text and photographs) are owned by Kronoplus Limited.

Krono Original®
High Quality
Made by Kronospan

kronospan

www.kronospan.com
www.krono-original.com

01/2026 © Kronoplus Limited 2026